

Monthly Summary of EPA Monitoring Data with Limits



Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the written requirements issued by the NSW Environment Protection Authority. To the best of Kimbriki Environmental Enterprises' knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior written consent from Kimbriki Environmental Enterprises. For more details on publication of pollution monitoring data please refer to the NSW EPA Website, <http://www.epa.nsw.gov.au/index.htm>

Monitoring Period	01 May 2017 - 31 May 2017						
Date Published	21 June 2017						
EPA Licence No.	13091						
EPA Licence Hyperlink	http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=32504&SYSUID=1&LICID=13091						
Licensee Name	KIMBRIKI ENVIRONMENTAL ENTERPRISES PTY LIMITED						
Licensee Address	Locked Bag 6, Terrey Hills, NSW 2084						
Monitoring Location (EPA Point 2)	<i>Please refer to the map, Kimbriki Monitoring Sites.pdf, for location (EPA 2)</i>						
Pollutant	Units of measure	Monitoring frequency required by licence	No. of times measured during month	Min. value	Max. value	100 percentile limit	Exceed-ance (yes/no)
Biochemical oxygen demand	mg/L (Note 1)	Special Frequency 1 (Note 2)	2	<5	<5	20	no
Nitrogen (ammonia)	mg/L (Note 1)	Daily during any discharge	2	0.04	0.09	1	no
pH	pH	Daily during any discharge	1	7.10	7.10	6.5-8.5	no
Total suspended solids	mg/L (Note 1)	Daily during any discharge	1	<5	<5	50	no
Explanatory Notes	(Note 1) mg/L (milligrams per litre) (Note 2) Special Frequency 1 - Quarterly and on the first day of discharge						

Monthly Summary of EPA
Monitoring Data continued.

Monitoring Location (EPA Point 21)		Please refer to the map, Kimbriki Monitoring Sites.pdf, for location (EPA 21)					
Pollutant	Units of measure	Monitoring frequency required by licence	No. of times measured during month	Min. value	Max. value	100 percentile limit	Exceedance (yes/no)
Biochemical oxygen demand	mg/L (Note 1)	Special Frequency 1 (Note 2)	1	<5	<5	20	no
Nitrogen (ammonia)	mg/L (Note 1)	Daily during any discharge	8	0.2	2.4 (Note 3)	1	yes
pH	pH	Daily during any discharge	3	7.50	7.61	6.5-8.5	no
Total suspended solids	mg/L (Note 1)	Daily during any discharge	8	95 (Note 4)	160 (Note 4)	50	yes
Explanatory Notes	(Note 1) mg/L (milligrams per litre) (Note 2) Special Frequency 1 - Quarterly and on the first day of discharge (Note 3) Elevated ammonia levels were as a result of high rainfall for the month of May resulting in Breakout of Leachate from batters on site into western stormwater drain. Leachate recirculation system upgrades and Leachate Treatment Plant when commissioned will control the potential for this exceedance. (Note 4) Exceedance due to rainfall causing dams to reach capacity (overflow).						
Monitoring Location (EPA Point 22)		Enclosed Ground Level Flare in the North-Eastern corner of the Premises. Please refer to the map, Kimbriki Monitoring Sites.pdf, for location (EPA 22)					
Parameter	Units of measure	Monitoring frequency required by licence	No. of times measured during month	Min. value	Max. value	Lower Limit (Note 2)	Exceedance (yes/no)
Residence Time	seconds	Continuous	Continuous	0.8	1.0	0.6	No
Temperature	°C (Note 1)	Continuous	Continuous	792.6	803.8	760	No
Explanatory Notes	(Note 1) °C (degrees Celsius) (Note 2) The parameter value must be greater than the Lower Limit specified						

Monthly Summary of EPA Monitoring Data - No Limit



Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the written requirements issued by the NSW Environment Protection Authority. To the best of Kimbriki Environmental Enterprises' knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior written consent from Kimbriki Environmental Enterprises. For more details on publication of pollution monitoring data please refer to the NSW EPA Website, <http://www.epa.nsw.gov.au/index.htm>

Monitoring Period	01 May 2017 - 31 May 2017						
Date Published	21 June 2017						
EPA Licence No.	13091						
EPA Licence Hyperlink	http://www.epa.nsw.gov.au/prpoeoapp/ViewPOELicence.aspx?DOCID=32504&SYSUID=1&LICID=13091						
Licensee Name	KIMBRIKI ENVIRONMENTAL ENTERPRISES PTY LIMITED						
Licensee Address	Locked Bag 6, Terrey Hills, NSW 2084						
Monitoring Location (EPA Point 2)	Please refer to the map, <i>Kimbriki Monitoring Sites.pdf</i> , for location (EPA 1)						
Pollutant	Units of measure	Monitoring frequency required by licence	No. of times measured during month	Min. value	Mean value	Median value	Max. value
Conductivity	µS/cm (Note 1)	Daily during any discharge	1	235	235	235	235
Explanatory Notes	(Note 1) µS/cm (microsiemens per centimetre)						
Monitoring Location (EPA Point 21)	Please refer to the map, <i>Kimbriki Monitoring Sites.pdf</i> , for location (EPA 21)						
Pollutant	Units of measure	Monitoring frequency required by licence	No. of times measured during month	Min. value	Mean value	Median value	Max. value
Conductivity	µS/cm (Note 1)	Daily during any discharge	4	400	408	404	419
Explanatory Notes	.						
Monitoring Location (EPA Point 22)	Enclosed Ground Level Flare in the North-Eastern corner of the Premises.						
Pollutant	Units of measure	Monitoring frequency required by licence	No. of times measured during month	Min. value	Mean value	Median value	Max. value
Volumetric flowrate	m ³ /h (Note 1)	Continuous	Continuous	0	390	406	428
Explanatory Notes	(Note 1) m ³ /h (cubic metres per hour)						