

EPA Monitoring Data Summary



Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the written requirements issued by the NSW Environment Protection Authority. To the best of Kimbriki Environmental Enterprises' knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior written consent from Kimbriki Environmental Enterprises. For more details on publication of pollution monitoring data please refer to the NSW EPA Website, www.epa.nsw.gov.au

Monitoring Period	Jul-21							
Date Published	9 August 2021							
EPA Licence No.	13091							
EPA Licence Hyperlink	https://app.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=211659&S YSUID=1&LICID=13091							
Licensee Name	KIMBRIKI E	NVIRONMEN	TAL ENTERP	RISES PT	Y LIMITED			
Licensee Address	PO BOX 19	PO BOX 196, Terrey Hills, NSW 2084						
Monitoring Location (EPA Po	Please refer to the map, Kimbriki Monitoring Sites.pdf, for location (EPA 1)							
Pollutant	Units of measure	Monitoring frequency required by licence	No. of times measured during month	Min. value	Max. value	100 percentile limit	Non- compliances (yes/no)	
Biochemical oxygen demand	mg/L (Note 1)	Special Frequency 1 (Note 2)	1	<5	< 5	20	no	
Nitrogen (ammonia)	mg/L (Note 1)	Daily during any discharge	1	<0.05	<0.05	1	no	
pН	рН	Daily during any discharge	1	7.57	7.57	6.5-8.5	no	
Total suspended solids	mg/L (Note 1)	Daily during any discharge	1	22.0	22	50	no	
Explanatory Notes	(Note 1) mg/L (milligrams per litre) (Note 2) Special Frequency 1 - Quarterly and on the first day of discharge							
Monitoring Location (EPA Po	oint 2)	Please refer to th	ne map, Kimbriki	Monitoring S	ites.pdf, for lo	ocation (EPA	2)	
Pollutant	Units of measure	Monitoring frequency required by licence	No. of times measured during month	Min. value	Max. value	100 percentile limit	Non- compliances (yes/no)	
Explanatory Notes	No surface wa	ce water discharge occurred from this monitoring point during the month.						
Monitoring Location (EPA Po	pint 3) Please refer to the map, Kimbriki Monitoring Sites.pdf, for location (EPA 3)					3)		
Pollutant	Units of measure	Monitoring frequency required by licence	No. of times measured during month	Min. value	Max. value	100 percentile limit	Non- compliances (yes/no)	
Explanatory Notes	No surface wa	ce water discharge occurred from this monitoring point during the month.						
Monitoring Location (EPA Po	oint 21) Please refer to the map, Kimbriki Monitoring Sites.pdf, for location (EPA 21)							
Pollutant	Units of measure	Monitoring frequency required by licence	No. of times measured during month	Min. value	Max. value	100 percentile limit	Non- compliances (yes/no)	
Biochemical oxygen demand	mg/L (Note 1)	Special Frequency 1 (Note 2)	3	<5	<5	20	no	
Nitrogen (ammonia)	mg/L (Note 1)	Daily during any discharge	11	<0.01	0.03	1	no	



EPA Monitoring Data Summary



рН	рН	Daily during any discharge	11	7.15	7.83	6.5-8.5	no
Total suspended solids	mg/L (Note 1)	Daily during any discharge	11	7.6	26	50	no
Explanatory Notes	(Note 1) mg/L (milligrams per litre) (Note 2) Special Frequency 1 - Quarterly and on the first day of discharge						



EPA Monitoring Data Summary



Monitoring Location (FPA Point 22)		Enclosed Ground Level Flare in the North-Eastern corner of the Premises. Please refer to the map, Kimbriki Monitoring Sites.pdf, for location (EPA 22)						
Parameter	Units of measure	Monitoring frequency required by licence	No. of times measured during month	Min. value	Max. value	Lower Limit (Note 2)	Non- compliances (yes/no)	
Residence Time	seconds	Continuous	Continuous	0.7	0.8	0.6	no	
Temperature	°C (Note 1)	Continuous	Continuous	775	808	760	no	
Explanatory Notes	(Note 1) °C (degrees Celsius) (Note 2) The parameter value must <i>be greater than</i> the Lower Limit specified							



Monthly Summary of EPA Monitoring Data - No Limit KIMBRIKI

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the written requirements issued by the NSW Environment Protection Authority. To the best of Kimbriki Environmental Enterprises' knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior written consent from Kimbriki Environmental Enterprises. For more details on publication of pollution monitoring data please refer to the NSW EPA Website, www.epa.nsw.gov.au

Monitoring Period	Jul-21							
Date Published	6 August 2021							
EPA Licence No.	13091							
EPA Licence	https://app.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=211659&SYSU							
Hyperlink	ID=1&LICID=13091							
Licensee Name	KIMBRIKI ENVIRONMENTAL ENTERPRISES PTY LIMITED							
Licensee Address	PO BOX 196, Terrey Hills, NSW 2084							
Monitoring Location (EPA P	oint 1) Please refer to the map, Kimbriki Monitoring Sites.pdf, for location (EPA 1)							
Pollutant	Units of measure	Monitoring frequency required by licence	No. of times measured during month	Min. value	Mean value	Median value	Max. value	
Conductivity	μS/cm (Note 1)	Daily during any discharge	1	371	371	371	371	
Explanatory Notes	(Note 1) µS/cm (microsiemens per centimetre)							
Monitoring Location (EPA P	oint 2)	Please refer to the	he map, Kimbriki	Monitoring S	ites.pdf, for l	ocation (EPA	1 2)	
Pollutant	Units of measure	Monitoring frequency required by licence	No. of times measured during month	Min. value	Mean value	Median value	Max. value	
Explanatory Notes	No surface water discharge occurred from this monitoring point during the month.							
Monitoring Location (EPA P	Please refer to the map, Kimbriki Monitoring Sites.pdf, for location (EPA 3)							
Pollutant	Units of measure	Monitoring frequency required by licence	No. of times measured during month	Min. value	Mean value	Median value	Max. value	
Explanatory Notes	No surface water discharge occurred from this monitoring point during the month.							
Monitoring Location (EPA P	oint 21)	Please refer to the map, Kimbriki Monitoring Sites.pdf, for location (EPA 21)						
Pollutant	Units of measure	Monitoring frequency required by licence	No. of times measured during month	Min. value	Mean value	Median value	Max. value	
Conductivity	μS/cm (Note 1)	Daily during any discharge	11	240	359	359	465	
Explanatory Notes	(Note 1) µS/cm (microsiemens per centimetre)							
Monitoring Location (EPA P	Dring Location (EPA Point 22) Enclosed Ground Level Flare in the North-Eastern corner of the Premises. Please refer to the map, Kimbriki Monitoring Sites.pdf, for location (EPA 22)							
Pollutant	Units of measure	Monitoring frequency required by licence	No. of times measured during month	Min. value	Mean value	Median value	Max. value	
Volumetric flowrate	m³/h (Note 1)	Continuous	Continuous	437	478	478	524	
Explanatory Notes	(Note 1) m ³ /h (cubic metres per hour)							