



EPA Monitoring Data Summary



Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the written requirements issued by the NSW Environment Protection Authority. To the best of Kimbriki Environmental Enterprises' knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior written consent from Kimbriki Environmental Enterprises. For more details on publication of pollution monitoring data please refer to the NSW EPA Website, www.epa.nsw.gov.au

Monitoring Period	Oct-23						
Date Published	6 November 2023						
EPA Licence No.	13091						
EPA Licence Hyperlink	https://app.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=211659&SYSUID=1&LICID=13091						
Licensee Name	KIMBRIKI ENVIRONMENTAL ENTERPRISES PTY LIMITED						
Licensee Address	PO BOX 196, Terrey Hills, NSW 2084						
Monitoring Location (EPA Point 1)	<i>Please refer to the map, Kimbriki Monitoring Sites.pdf, for location (EPA 1)</i>						
Pollutant	Units of measure	Monitoring frequency required by licence	No. of times measured during month	Min. value	Max. value	100 percentile limit	Non-compliances (yes/no)
Explanatory Notes	No surface water discharge occurred from this monitoring point during the month.						
Monitoring Location (EPA Point 2)	<i>Please refer to the map, Kimbriki Monitoring Sites.pdf, for location (EPA 2)</i>						
Pollutant	Units of measure	Monitoring frequency required by licence	No. of times measured during month	Min. value	Max. value	100 percentile limit	Non-compliances (yes/no)
Explanatory Notes	No surface water discharge occurred from this monitoring point during the month.						
Monitoring Location (EPA Point 3)	<i>Please refer to the map, Kimbriki Monitoring Sites.pdf, for location (EPA 3)</i>						
Pollutant	Units of measure	Monitoring frequency required by licence	No. of times measured during month	Min. value	Max. value	100 percentile limit	Non-compliances (yes/no)
Explanatory Notes	No surface water discharge occurred from this monitoring point during the month.						
Monitoring Location (EPA Point 21)	<i>Please refer to the map, Kimbriki Monitoring Sites.pdf, for location (EPA 21)</i>						
Pollutant	Units of measure	Monitoring frequency required by licence	No. of times measured during month	Min. value	Max. value	100 percentile limit	Non-compliances (yes/no)
Explanatory Notes	No surface water discharge occurred from this monitoring point during the month.						
Monitoring Location (EPA Point 22)	<i>Enclosed Ground Level Flare in the North-Eastern corner of the Premises. Please refer to the map, Kimbriki Monitoring Sites.pdf, for location (EPA 22)</i>						
Parameter	Units of measure	Monitoring frequency required by licence	No. of times measured during month	Min. value	Max. value	Lower Limit (Note 2)	Non-compliances (yes/no)
Residence Time	seconds	Continuous	Continuous	0.9	1.2	0.6	no
Temperature	°C (Note 1)	Continuous	Continuous	771.4	804.3	760	no
Explanatory Notes	(Note 1) °C (degrees Celsius) (Note 2) The parameter value must be greater than the Lower Limit specified						



Monthly Summary of EPA Monitoring Data - No Limit **KIMBRIKI**



Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the written requirements issued by the NSW Environment Protection Authority. To the best of Kimbriki Environmental Enterprises' knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior written consent from Kimbriki Environmental Enterprises. For more details on publication of pollution monitoring data please refer to the NSW EPA Website, www.epa.nsw.gov.au

Monitoring Period	Oct-23						
Date Published	6 November 2023						
EPA Licence No.	13091						
EPA Licence Hyperlink	https://app.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=211659&SYSU_ID=1&LICID=13091						
Licensee Name	KIMBRIKI ENVIRONMENTAL ENTERPRISES PTY LIMITED						
Licensee Address	PO BOX 196, Terrey Hills, NSW 2084						
Monitoring Location (EPA Point 1)	Please refer to the map, Kimbriki Monitoring Sites.pdf, for location (EPA 1)						
Pollutant	Units of measure	Monitoring frequency required by licence	No. of times measured during month	Min. value	Mean value	Median value	Max. value
Explanatory Notes	No surface water discharge occurred from this monitoring point during the month.						
Monitoring Location (EPA Point 2)	Please refer to the map, Kimbriki Monitoring Sites.pdf, for location (EPA 2)						
Pollutant	Units of measure	Monitoring frequency required by licence	No. of times measured during month	Min. value	Mean value	Median value	Max. value
Explanatory Notes	No surface water discharge occurred from this monitoring point during the month.						
Monitoring Location (EPA Point 3)	Please refer to the map, Kimbriki Monitoring Sites.pdf, for location (EPA 3)						
Pollutant	Units of measure	Monitoring frequency required by licence	No. of times measured during month	Min. value	Mean value	Median value	Max. value
Explanatory Notes	No surface water discharge occurred from this monitoring point during the month.						
Monitoring Location (EPA Point 21)	Please refer to the map, Kimbriki Monitoring Sites.pdf, for location (EPA 21)						
Pollutant	Units of measure	Monitoring frequency required by licence	No. of times measured during month	Min. value	Mean value	Median value	Max. value
Explanatory Notes	No surface water discharge occurred from this monitoring point during the month.						
Monitoring Location (EPA Point 22)	Enclosed Ground Level Flare in the North-Eastern corner of the Premises. Please refer to the map, Kimbriki Monitoring Sites.pdf, for location (EPA 22)						
Pollutant	Units of measure	Monitoring frequency required by licence	No. of times measured during month	Min. value	Mean value	Median value	Max. value
Volumetric flowrate	m ³ /h (Note 1)	Continuous	Continuous	0 (Note 2)	307.3	315.0	415.0
Explanatory Notes	(Note 1) m ³ /h (cubic metres per hour) (Note 2) Zero value due to: 1. Flare was shut down on 5th October 2023 for 10 hours due to flame failure. The flare could not be restarted remotely. The maintenance contractor attended site swapped the LPG gas bottle over and was able to restart the flare. 2. Flare was shut down on 11th October 2023 for 0.75 hours due to flame failure. The flare was restarted remotely. 3. Flare was shut down on 16th October 2023 for 18 hours due to phase failure. The flare could not be restarted remotely. The maintenance contractor attended site and restarted the flare locally after a few attempts. 4. Flare was shut down on 29th October 2023 for 0.25 hours due to flame failure. The flare was restarted remotely.						